

IBS special cleaner WAS 30.100

SKU: 30.100



Alkaline, aqueous, liquid high-performance cleaning concentrate. Specially developed intensive pre-spray cleaner. Leaves a gloss and beading effect after cleaning. Optimally matched to all conventional high-pressure cleaning devices. Effective when used for cleaning at the wash bay and in the wash bay. Best cleaning results even when wiping.



Optimally matched to all conventional high-pressure cleaning devices. Very suitable for pre-spraying. Effective when used for cleaning at the wash bay and in the wash bay. Best cleaning results even when wiping.

Applications:

Specially developed intensive pre-spray cleaner. Optimally matched to all conventional high-pressure cleaning devices. Effective when used for cleaning at the wash bay and in the wash hall. Best cleaning results even when wiping.

Areas of application:

- Exterior cleaning of machinery, equipment and vehicles
- Industry, manufacturing industry, rail vehicles, vehicles with superstructures of all kinds
- Construction, road construction, agriculture, municipal services
- All parts and surfaces in all sectors, engines
- General basic cleaning
- Commercial vehicle tarpaulins and plastic housings - with gloss effect
- Hall and workshop floors

Soiling:

- Strong for coarse soiling
- Grease, stubborn caked-on grease deposits, oils, encrustations and soot particles
- Easily removes hydraulic and engine oils
- Dust, environmental and everyday dirt

Dosage:

The product is a concentrate that must be diluted with sufficient water.

Our recommendation for the dosage:

- light to normal soiling 2 – 3 %
- particularly heavy soiling 4 – 6 %
- heavy soiling 7 – 10 %

Advantages:

- very good foam adhesion for better penetration and intensive cleaning
- with shine and beading effect
- demulsifying and separator-friendly
- suitable for
- silicone-free suitable for laboratory separators
- free from phosphates and phosphonates
- silicone-free
- environmentally friendly and user-friendly, surfactants readily biodegradable (according to OECD criteria)

Applications/areas of use

Branches

Technical data

Container size:	1000 L, 20 L, 200 L
PH value:	> 11,5
Colour:	yellow
Odour:	mild - characteristic
Foaming behaviour:	Adhesive foam
Application concentration:	2 - 10 %
Operating temperature:	20° - 60° C
Density:	0.810 - 0.825 g/cm ³
Labelling:	GHS07