



IBS-Spezialreiniger WAS 30.300

SKU: 30.300

Alkaline high-performance concentrate. Strong all-purpose cleaner for gentle removal of heavy oil and grease stains, with gloss and beading effect. For universal use and cleaning (surfaces, vehicles & workshops of all kinds).



Alkaline concentrate on an aqueous basis, all-purpose cleaner for workshops of all kinds.

Pre-spray cleaner for general everyday and environmental soiling.

Effective and gentle on materials, demulsifying. Very suitable for pre-spraying and foaming. Strong in wiping, convincing in floor cleaning. Versatile for effective parts and surface cleaning in all industries.

Areas of application

- High-pressure cleaning
- Very suitable for pre-spraying
- Wiping method
- Floor cleaning
- Wash bay / wash hall

Suitable for

- Repair and maintenance workshops
- Machine, equipment and vehicle exterior cleaning
- Industry, manufacturing
- construction industry, road construction, agriculture, municipal enterprises
- all parts and surfaces of all industries, engines
- General basic and industrial cleaning
- Commercial vehicle tarpaulins and plastic casings
- hall and workshop floors

Removes the following soiling

- Pre-spray cleaner - strong also for general everyday and environmental soiling
- Grease, oil, incrustations and soot particles, brake dust
- Intensive cleaner - strong also for coarse soiling
- Easily removes hydraulic and engine oils

Dosage

The product is a concentrate that must be diluted with sufficient water.

Our recommendation for the dosage:

- Light to normal soiling 3 - 5% or 1:30

- Very heavy soiling 6 - 10% or 1:15

Advantages

- Aluminium compatible
- Gentle to material — also suitable for sensitive surfaces and workpieces (painted surfaces, copper, aluminium ...)
- demulsifying — therefore suitable for oil separators, proven separation friendliness
- meets the requirements of standards B 5104, B 5105 and B 5106 with regard to waste water
- energy-efficient and cost-saving
- strong effect for pre-cleaning
- environmentally friendly and user-friendly, surfactants readily biodegradable (according to OECD criteria)

Applications/areas of use

Technical data

Container size:	20 L, 200 L, 1000 L
PH value:	11,5
Colour:	yellow
Smell:	mild - characteristic
Foaming behaviour:	Adhesive foam
Application concentration:	3 - 10 %
Operating temperature:	20° - 60° C
Density:	1.01 - 1.03 g/cm ³
Labeling:	GHS07