



## IBS-Spray Cleaner WAS 10.100

**SKU:** 10.100

Alkaline degreasing concentrate. For the removal of heavy oil and grease contamination. Suitable for various applications: in automatic washing machines, spray / flood cleaning systems and aqueous parts cleaning equipment.



### Applications:

Ideal for use in automatic washing machines, spraying systems, flood cleaning systems, ultrasonic equipment and aqueous parts cleaning equipment.

### Fields of application:

- Automotive industry (suppliers)
- Truck and construction machinery workshops
- Engine repair and maintenance shops of all kinds
- Mechanical engineering, automotive industry (suppliers) and metalworking industry

### Contaminants:

- Cooling lubricants, drilling and cutting oils
- Engine oils, corrosion protection oils, hydraulic oils
- Greases, native greases, lubricant components
- Preservatives (waxes)
- Resins, incrustations and chips

After cleaning, rinse with water, otherwise cleaner residues will remain, making clean painting / electroplating more difficult.

### Dosage

The product is a concentrate that must be diluted with sufficient water.

Our recommendation for the dosage:

- Light to normal soiling 2 - 3% or 1:50
- coarse to heavy soiling 4 - 5% or 1:20

### Advantages

- Cost-efficient — effective even at cleaning temperatures from 40°C
- effective even with stubborn soiling
- with corrosion protection, active washing without foaming — incl. defoamer
- no staining
- demulsifying — therefore suitable for oil separators — longer service life, tested separator friendliness

- meets the requirements of ÖNORM B 5104, B 5105 and B 5106 with regard to waste water
- silicone-free

## Technical data

Container size:	1000 L, 20 L, 200 L
PH value:	> 12,5
Colour:	blue
Smell:	mild - characteristic
Foaming behaviour:	non-foaming
Application concentration:	2 - 5 %
Operating temperature:	40° C
Density:	1.09 - 1.11 g/cm <sup>3</sup>
Labeling:	GHS05